



# Carolina Narrow Fabric Company

## SAFETY DATA SHEET

**NAME OF PRODUCT:** Fiber Glass Fabric Heat Cleaned and Silane Treated

**FILE NO.:**

**SDS DATE:** 06/01/ 2015

---

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

---

**PRODUCT NAME:** Fiber Glass fabric heat cleaned and silane treated

**SYNONYMS:**

**PRODUCT CODES:**

**MANUFACTURER:** Carolina Narrow Fabric Company

**DIVISION:**

**ADDRESS:** 1100 Patterson Ave, Winston Salem, NC 27001

**EMERGENCY PHONE:** 336 631 3000

**CHEMTREC PHONE:**

**OTHER CALLS:**

**FAX PHONE:** 336 631 3060

**CHEMICAL NAME:** Fiber Glass

**CHEMICAL FAMILY:**

**CHEMICAL FORMULA:**

**PRODUCT USE:** Reinforcement and electrical/thermal insulation

**PREPARED BY:** Carolina Narrow Fabric Company

**SECTION 1 NOTES:**

---

### SECTION 2: HAZARDS IDENTIFICATION

---

**EMERGENCY OVERVIEW:** Fiber Glass may cause irritation to the skin , eyes, and upper respiratory tract

**ROUTES OF ENTRY:** Respiratory, Ingestion, Skin, Eyes

**POTENTIAL HEALTH EFFECTS**

**EYES:** Dust from this product may cause temporary irriation

**SKIN:** Dust/filaments from this product may cause temporary irriation

**INGESTION:** Although unlikely, accidental ingestion may cause illness or irritation to the mouth and gastrointestinal tract

---

**INHALATION:** Dust from this product may cause irritation or the nose, throat and respiratory tract

**ACUTE HEALTH HAZARDS:** None known

**CHRONIC HEALTH HAZARDS:** None known

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Pre existing disorders involving the areas listed above may be aggravated by over exposure to this product

---

**CARCINOGENICITY**

**OSHA:**

**ACGIH:**

**NTP:**

**IARC:**

**OTHER:**

**SECTION 3 NOTES:** This product is not classified as carcinogenic



# Carolina Narrow Fabric Company

## SAFETY DATA SHEET

NAME OF PRODUCT: Fiber Glass Fabric Heat Cleaned and Silane Treated

FILE NO.:

SDS DATE: 06/01/ 2015

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**INGREDIENT:** Continuous Strand Fiber Glass, Organically bound silanes, starches, PVA, lubricants

<u>CAS NO.</u>	<u>% WT</u>	<u>% VOL</u>	<u>SARA 313 REPORTABLE</u>
Fiberglass 65997-17-3	>95	>99	None found
Silanes	<0.4		
Textile sizing	<0.5		
	<u>ppm</u>	<u>mg/m3</u>	
OSHA PEL-TWA: Total dust		15	
Respirable		5	
OSHA PEL STEL :			
OSHA PEL CEILING:			
ACGIH TLV-TWA:		5	
ACGIH TLV STEL:			
ACGIH TLV CEILING:			

SECTION 3 NOTES:

### SECTION 4: FIRST AID MEASURES

**EYES:** Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek medical attention if irritation persists

**SKIN:** Gently wash with soap and cold water. If fibers become embedded seek medical attention.

**INGESTION:** Rinse mouth with water. Do not induce vomiting. Get medical advice

**INHALATION:** Remove to fresh air seek medical help if distress persists.

**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

SECTION 4 NOTES:

### SECTION 5: FIRE-FIGHTING MEASURES

**FLAMMABLE LIMITS IN AIR, UPPER:** Fiberglass will not burn

**FLASH POINT:** Fiber Glass will not burn

**AUTOIGNITION TEMPERATURE:** Fiber Glass will not burn

#### NFPA HAZARD CLASSIFICATION

HEALTH: 1      FLAMMABILITY: 0      REACTIVITY: 0  
OTHER:

#### HMIS HAZARD CLASSIFICATION

HEALTH: 1      FLAMMABILITY: 0      REACTIVITY: 0  
PROTECTION:

**EXTINGUISHING MEDIA:** Use an extinguishing agent suitable for the surrounding fire

**SPECIAL FIRE FIGHTING PROCEDURES:** None known

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Promptly isolate the scene and use trained personnel



# Carolina Narrow Fabric Company

## SAFETY DATA SHEET

FILE NO.:

NAME OF PRODUCT: Fiber Glass Fabric Heat Cleaned and Silane Treated

SDS DATE: 06/01/ 2015

HAZARDOUS DECOMPOSITION PRODUCTS: Fiber Glass will not burn but smoking may occur at 400°F -500°F due to decomposition of the surface binder releasing CO<sub>2</sub> and CO. There are chemicals that may evolve during partial decomposition and the amounts or identities cannot be predicted and can differ in each situation.

SECTION 5 NOTES:

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

---

ACCIDENTAL RELEASE MEASURES:

Fiber Glass is considered to be an inert material and no special precautions are needed in case of spill

SECTION 6 NOTES:

Dispose or via licensed waste disposal contractor

---

### SECTION 7: HANDLING AND STORAGE

---

HANDLING AND STORAGE: Use appropriate personal protective equipment . Do not eat, drink, or smoke in areas where this material is handled. Do not swallow. Do not get in eyes. Do not get on skin or clothing. Store in accordance with local regulations.  
OTHER PRECAUTIONS:

SECTION 7 NOTES:

---

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

ENGINEERING CONTROLS: Atmospheric monitoring may be required to determine the effectiveness of the ventilation or the necessity of respiratory protective equipment.

VENTILATION : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

RESPIRATORY PROTECTION: If dust generation exceeds 15 mg/m<sup>3</sup> a NIOSH approved dust mask or respirator is recommended.

EYE PROTECTION: Safety glasses with side shields

SKIN PROTECTION: Wear clean body covering clothing

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Use gloves to protect against irritation if required by handling conditions.

WORK HYGIENIC PRACTICES: Good personal hygiene and the use of barrier creams, caps, gloves, coveralls or long sleeve loose fitting clothing will improve comfort. Work clothing should be laundered separately from other clothing for reuse. Ensure eyewash stations and safety showers are close to the work area and operational.

EXPOSURE GUIDELINES: Total dust exposure 15 mg/m<sup>3</sup> ; Respirable 5 mg/m<sup>3</sup>

SECTION 8 NOTES:

---

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

APPEARANCE: White

ODOR: no distinctive odor

PHYSICAL STATE: solid

pH AS SUPPLIED: N/A

pH (Other):

BOILING POINT: N/A

MELTING POINT:

F: 1472°

C: >800°



# Carolina Narrow Fabric Company

## SAFETY DATA SHEET

**NAME OF PRODUCT:** Fiber Glass Fabric Heat Cleaned and Silane Treated

**FILE NO.:**

**SDS DATE:** 06/01/ 2015

**FREEZING POINT:**

F: 1472°

C: >800°

---

**VAPOR PRESSURE (mmHg):** Not available

**VAPOR DENSITY (AIR = 1):** Not available

**SPECIFIC GRAVITY (H2O = 1):** 2.4 to 2.7

**EVAPORATION RATE:** Not available

**B SPECIFIC GRAVITY (H2O = 1):** 2.4 to 2.7

**EVAPORATION RATE:** Not available

---

**SOLUBILITY IN WATER:** Insoluble

**PERCENT SOLIDS BY WEIGHT:** >95

**PERCENT VOLATILE:**

BY WT/ BY VOL @ < 1

F: 400

C:

**VOLATILE ORGANIC COMPOUNDS (VOC):** Not available

**MOLECULAR WEIGHT:** Not available

**VISCOSITY:** N/A

**SECTION 9 NOTES:**

---

### SECTION 10: STABILITY AND REACTIVITY

---

STABLE

**STABILITY:** The product is stable

**CONDITIONS TO AVOID (STABILITY):** When exposed to high temperatures may produce decomposition products

**INCOMPATIBILITY (MATERIAL TO AVOID):** None known

**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** May release small amounts of acetic acid and othe organic materials at elevated temperatures.

**HAZARDOUS POLYMERIZATION:** Under normal conditions of storage and use hazardous reactions will not occur

**CONDITIONS TO AVOID (POLYMERIZATION):** None known



# Carolina Narrow Fabric Company

## SAFETY DATA SHEET

**NAME OF PRODUCT:** Fiber Glass Fabric Heat Cleaned and Silane Treated  
**SECTION 10 NOTES:**

**FILE NO.:**  
**SDS DATE:** 06/01/ 2015

---

### SECTION 11: TOXICOLOGICAL INFORMATION

---

**TOXICOLOGICAL INFORMATION:** There are no known health effects from the long term use or contact with nonrespirable fiber glass. Fibers with a diameter greater than 3.5 micrometers are nonrespirable. All glass fibers used in this fabric are greater than 3.5 micrometers. If dust is generated in processing the diameter may be less than the minimum diameter and a respirator should be used

**SECTION 11 NOTES:**

---

### SECTION 12: ECOLOGICAL INFORMATION

---

**ECOLOGICAL INFORMATION:** No known significant effects or critical hazards

**SECTION 12 NOTES:**

---

### SECTION 13: DISPOSAL CONSIDERATIONS

---

**WASTE DISPOSAL METHOD:** Dispose of via a licensed waste disposal contractor. Dispose of in accordance with local and Federal laws and regulations

**RCRA HAZARD CLASS:** Not classified as a hazardous waste

**SECTION 13 NOTES:**

---

### SECTION 14: TRANSPORT INFORMATION

---

**U.S. DEPARTMENT OF TRANSPORTATION**  
**PROPER SHIPPING NAME:** Glass fabric  
**HAZARD CLASS:** non hazard  
**ID NUMBER:**  
**PACKING GROUP:**  
**LABEL STATEMENT:**

**WATER TRANSPORTATION**  
**PROPER SHIPPING NAME:** Glass fabric  
**HAZARD CLASS:** non hazard  
**ID NUMBER:**  
**PACKING GROUP:**  
**LABEL STATEMENTS:**

**AIR TRANSPORTATION**  
**PROPER SHIPPING NAME:** Glass fabric  
**HAZARD CLASS:** non hazard  
**ID NUMBER:**  
**PACKING GROUP:**  
**LABEL STATEMENTS:**

**OTHER AGENCIES:**



# Carolina Narrow Fabric Company

## SAFETY DATA SHEET

**NAME OF PRODUCT:** Fiber Glass Fabric Heat Cleaned and Silane Treated  
**SECTION 14 NOTES:**

**FILE NO.:**  
**SDS DATE:** 06/01/ 2015

---

### SECTION 15: REGULATORY INFORMATION

---

#### U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): All components are listed or exempted

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Not reportable

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

311/312 HAZARD CATEGORIES: None

313 REPORTABLE INGREDIENTS:None

STATE REGULATIONS: Not regulated

INTERNATIONAL REGULATIONS: Not regulated

SECTION 15 NOTES:

---

### SECTION 16: OTHER INFORMATION

---

OTHER INFORMATION: Health : Original Document

Revision 0

#### PREPARATION INFORMATION:

**DISCLAIMER:** The information contained in this data sheet is based on present scientific and technical knowledge . The purpose of this information is to demonstrate the health and safety aspects concerning these products supplied by CNF and to recommend precautionary measures for the storage and handling of these products. No warranty or guarantee is given in respect of the properties of these products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.